


Technical Information




All dimensions in mm.

Working load limit tons	A	B	C	D	E	F	G	L	R	X	Y	Weight kg
30	35	45	60	178	89	128	80	197	45	210	290	13
40	45	51	84	200	109	140	97	252	53	232	331	21
55	65	58	90	250	130	160	110	295	55	288	401	34
75	75	70	110	300	150	185	120	345	60	334	485	53
125	85	80	140	370	165	220	150	395	80	390	583	84
150	90	95	150	400	200	250	170	420	90	429	638	115
200	105	105	160	480	225	275	205	470	110	484	755	183
250	120	120	180	550	240	300	230	520	125	540	850	255
300	140	134	195	600	280	350	265	580	140	628	947	368
400	160	160	230	620	330	370	320	655	170	689	1035	571
500	170	180	265	680	350	440	340	710	180	779	1125	719
600	180	200	290	720	405	490	370	795	190	847	1213	960

Other sizes are available.

Technical Information



All dimensions in mm.

Working load limit tons	A	B	C	D	E	F	G	L	R	X	Y	Weight kg
700	210	215	320	780	465	540	400	880	210	957	1330	1350
800	220	230	345	800	465	555	420	925	220	990	1358	1400
900	235	250	370	850	480	585	440	1010	235	1060	1450	1850
1000	235	270	410	850	530	600	460	1060	240	1076	1490	2050
1250	275	300	455	960	590	645	560	1210	285	1205	1705	3000
1550	275	320	485	980	610	680	580	1240	290	1240	1745	3300
1750	310	360	500	1120	660	700	600	1325	300	1346	1960	4700
2000	320	385	520	1140	680	705	620	1365	310	1368	2012	4800
2500	330	400	520	1140	740	710	635	1380	320	1383	2065	5400
3000	340	420	530	1140	760	720	650	1410	330	1413	2080	5800
3500	350	440	540	1140	790	750	670	1480	340	1480	2130	6800
4000	360	460	550	1140	810	760	690	1510	350	1510	2140	7200

Other sizes are available.